

Solid Waste

DPW Home

Solid Waste Home

County Landfill

Illegal Dumping

[Reuse/Recycle/Disposal Outlets](#)

Recycling and Composting

Household Recycling

Multi-Family Recycling

Business Recycling

School Recycling

Composting

Special Event Recycling

Textile Recycling

C&D Recycling

Plastic Bag & Plastic Film

Holiday Recycling

Need a Recycling Bin

Eco Center

Collection Dates-
HHW/Electronics

Electronics Recycling

Sharps & Medication Disposal

Household Hazardous Waste

Commercial Hazardous Waste

Alternative Products

Annual Recycling Tonnage
Report 2018

Follow Us on Facebook

Brochures & Documents

Recycling FAQ

HHW FAQ

Contact Us

Environment



Broome County Landfill

You must be a Broome County resident to use the landfill. No out of county waste is accepted. Proof of residency is required.

Location:

286 Knapp Rd
Binghamton, NY 13905
607-763-4450

* Cash or check only*

Hours:

M-F 7:00am-2:45pm
Sat. 7:00am-11:45am

*Landfill will be closed in observance of the following holidays: Memorial Day (Monday, 5/28/18), Independence Day (Wednesday, 7/4/18), Labor Day (Monday, 9/3/18), Thanksgiving Day (Thursday, 11/22/18), Christmas Day (Tuesday, 12/25/18) & New Year's Day (Tuesday, 1/1/19).

Landfill Tip Fee Pricing and Accepted Materials

Tip fees are prorated by weight and material type. A complete listing of tip fees and materials accepted are listed in the Landfill User Guide.

Household Garbage: \$45/ton; Minimum fee \$4
Tires: rim size up to 20": \$2.50/tire up to 15 tires
rim size over 20": \$155/ton

Can be on or off rims

Clean Fill: \$45/ton; Minimum fee \$4
Friable Asbestos: Call 607-763-4450

Leaves & Yardwaste: \$20/ton; Minimum fee \$4
Freon Units: \$10/unit

Bulk Metals: \$45/ton; Minimum fee \$4
C&D: \$45/ton; Minimum fee \$4
Contaminated Soil: Call 607-778-2932

**Please Note: Credit cards are not accepted; cash or check only.
No out of county waste accepted.**

Permit Information

Commercial customers must obtain a permit issued by the landfill. Permits are for one year (July 1-June 30) and are prorated on a per month basis for the remainder of the year. The application fee is \$55 plus \$30 per vehicle.

For more information call 607-763-4450.

Freon Units- Freezers, Air Conditioners, Refrigerators, Dehumidifiers

Refrigerators, freezers, air conditioners and dehumidifiers must be kept separate from all other materials. Notify the scale operator of all units being disposed of.
Refrigerator and freezer doors must be off of the unit.

The tip fee for freon units is \$10.00 each.

Loads Requiring Waste Transporter Manifest

As per 6 NYCRR Part 360 Regulations and Division Policy each load of the following waste types require a Division accepted standardized Waste Transporter Manifest:

- Sewage Sludge (biosolids)
- Water Treat Plant Residuals
- Grease Trap Waste
- Waste Tires
- Petroleum Contaminated Soil
- Asbestos Waste

Friable Asbestos
Non-Friable Asbestos (Division Policy)



Notice of Data SECURITY INCIDENT

What happened?

Click here to read more -----

Debra A. Smith
Director of Solid Waste
Management



County Landfill
286 Knapp Rd
Binghamton NY 13905

Phone: 607.778.2250
Fax: 607.778.6051
Email

QUICK LINKS

BROOME ONLINE

EXPLORE BROOME



PROPERTY TAX SAVINGS PROGRAM
SIGN UP

ECONOMIC DEVELOPMENT PROGRAM
LOCAL MERCHANT ENROLLMENT

Broome A to Z
Everything for Broome County

Broome County Economic Development Group

Visit BROOME COUNTY NY

Weather Outlook

Thursday	Friday
83° 58°	87° 58°
<small>theweather.com +info</small>	

Select Language
Powered by Google Translate

The below standardized manifest is required by the Division to receive approval for disposal.
Waste Transporter Manifest

Asbestos

Friable Asbestos (easily crumbled, pulverized or reduced to powder)-Must be properly wetted down and double bagged in accordance to New York State regulations. Residents and commercial haulers should contact the landfill at 763-4434 to obtain approval to dispose asbestos at the landfill. If a commercial hauler is being used a valid NYSDEC 364 permit must be on file with the scalehouse and a manifest must accompany each load. Friable asbestos is only accepted prior to 1:00pm on Thursdays.

Non-Friable Asbestos (roofing shingles, siding, floor & ceiling tiles)- Must be separated from other wastes. Notify the scale operator that the material being disposed of is non-friable asbestos.

For more information call 763-4460.

- Residential Asbestos Form
- Commercial Manifest Form

Give Back Program

Materials such as compost and wood pallets are available at no cost to residents while supplies last.

*Please note: The landfill currently has compost available.

Brochures & Documents

- Mercury In The Home Brochure
- Safe Disposal & Handling of Compact Fluorescent Bulbs
- Broome County Recycling Brochure
- GrassCycling
- Disposing of Latex Paint
- Broome County Landfill User Guide
- Safe Disposal Of Home Medical Waste
- Household Hazardous Waste & Electronics Recycling
- Draft Solid Waste Management Plan
- Broome County Charter & Code (Page 425, Chapter 317 Solid Waste)

Broome County Virtual Landfill Tour

The Broome County Landfill is a state-of-the-art facility. Many residents have never visited the facility and often in error think of what years ago was a traditional dump. Join us on this virtual tour as we show the ongoing activities at the landfill as we work to operate a clean facility for our residents.

Broome County Landfill Tour

News

Landfill Section IV Update

Section IV of the landfill is 99 acres in size which is divided in smaller sections referred to as "cells". In 2009, the first load of trash was placed in Section IV Cell 1 (12 acres in size). In 2011, construction began to build Cell 2 (7 acres in size) and it received loads of trash in 2012. Most recently construction of Cell 3 began in May 2015 and is expected to be completed in September 2015. The landfill footprint of Cell 3 is approximately 8.1 acres in size, contains approximately 1,100,000 cubic yards of airspace, and has an estimated cell life of 3.9 years.

Each cell constructed has an approved liner system designed to keep the waste from impacting the surrounding environment. The landfill liner system consists of multiple layers.

The layers from the top down are:

1. A 24-inch stone layer - primary leachate collection and removal system. **Piping is located along the downgradient edges inside the cell within the layer of stone designed to collect all of the liquid leachate which has drained through the waste mass.**
2. Cushion geotextile -provides added protection against puncture of liner system layers
3. Primary 60 mil high density polyethylene (HDPE) geomembrane prevents leachate from leaving the landfill and entering the environment.
4. Geosynthetic clay liner on base of cell and extended 15 feet (5 feet vertical) up side slopes.
5. A 12-inch sand drainage layer (1x10⁻² cm/sec) - secondary leachate collection and removal system. **It is a backup series of pipes within the layer of sand designed to collect any leachate which was not contained by the primary liner system.**
6. Geosynthetic drainage composite - secondary leachate collection and removal system
7. Secondary 60 mil HDPE geomembrane (smooth on base of cell, textured on side slopes).
8. A 24-inch low permeability soil layer (anticipated to be re-compacted, screened on-site soil).

Greater Binghamton Airport
Our Gateway to the World

NYS SAFE
NY SAFE Act
Guidance and reporting for
Mental Health Professionals
in Broome County

9. Geosynthetic drainage composite – pore pressure relief system (refers to the pressure of groundwater held within a soil or rock) 10. Subgrade backfill material.



Cell 3: Crews installing the geomembrane layer of the landfill liner system.



Aerial view of Section IV Cell 1, 2 & 3.

168747 reads

[Online Services](#) | [Legal](#) | [Disclaimer and Privacy Policy](#) | [Feedback](#)

Copyright © 2015 Broome County All Rights Reserved.